

QY-F5320



Products Features:

1. Industrial-Grade Embedded Fanless Touch Monitor
2. 32 inch LED Screen, 1920*1080 Resolution
3. Capacitive Touch Screen
4. HDMI+VGA or DVI+VGA Two Type Display Ports Combinations
5. USB or RS-232 touch port
6. -20°C~60°C Temperature Can Keep 24/7 Work Stably
7. DC 12V Power Input

FC

IEC

RoHS

CE

EAC

1.Specification:

| | |
|----------------------------|---|
| Model | QY-F5320 |
| Display Port | HDMI+VGA |
| | DVI+VGA |
| Touch Port | USB (Type-B, Default) |
| | RS-232 (DB9 type) |
| Screen Size | 32 inch TFT LED Screen, 16:9 Size |
| Resolution | 1920*1080 |
| Brightness | 350nits |
| | Support optional 500 / 700 / 1000 nits |
| Largest Colorful | 16M |
| Touch Screen Type | Capacitive |
| Light Transmittance | More than 95% |
| Touch Life | 50 million times |
| Response Time | < 5ms |
| Touch Hardness | 6 Mohs |
| Menu | Switch / Brightness + / Brightness - buttons |

2. Device Specification:

| | |
|----------------------------|--|
| Power Input | DC 12V (Support optional DC 9-36V Wide Voltage Power Input) |
| | Power on and start automatically |
| | 2*Pin Phoenix Terminal DC Plug |
| Working Temperature | -20°C~60°C, Support 24/7 Working |
| Size | 749.2mm*446.7mm*64.8mm |
| Structure | Fully Enclosed Aluminum Alloy Material |
| Heat dissipation | Fanless Design, Conduction Heat Dissipation |
| Installation | Desktop /Wall-Mounted |
| Protection | Front panel IP65 water proof |

3. Ordering Information

| Model | Display Port | Touch Port | Touch Screen Type | Power Input |
|----------|--------------|------------|-------------------|-------------|
| QY-F5320 | HDMI+VGA | USB | Capacitive Touch | DC 12V |
| | | RS-232 | | |
| | DVI+VGA | USB | | |
| | | RS-232 | | |

4. Package List:

| | |
|----------------------------|------------------|
| Adapter | 1*12V 7A adapter |
| Power Cable ^[1] | 1*Power Cable |

Notices:

[1]: Different countries and regions use different types of power cord plugs, please inform the business personnel in advance.

5. Dimensions:

